



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/811,794

03/29/2004

Richard E. Swan

A042 P00992-US1

2532

3017

7590

02/22/2006

BARLOW, JOSEPHS & HOLMES, LTD.  
101 DYER STREET  
5TH FLOOR  
PROVIDENCE, RI 02903

EXAMINER

ELDRED, JOHN W

ART UNIT

PAPER NUMBER

3641

DATE MAILED: 02/22/2006

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES DEPARTMENT OF COMMERCE  
U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---	---------------------

10/811794

EXAMINER
----------

ART UNIT	PAPER
----------	-------

02162006

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

The following issues must be addressed to correct informalities in the reissue application:

- I. The drawings are improper. Any changes to the claims require that they be designated as "amended". MPEP 1413.
- II. Amendment filed 5-23-05 lacks support for claim changes/additional claims. Listing a number of Figures would not qualify as sufficient support.
- III. A supplemental declaration is needed since the original "no deceptive intent" statement does not cover the preliminary amendment. Also, City and State are necessary for residence, if not an address. Finally, the recitation of the error is too broad. Specific language outlining the error(s) in the original claims is required.

Applicant has a 1 (one) month shortened statutory period to respond to this communication.

If Applicant has specific questions concerning the requirements outlined in this communication, he is encouraged to call SPRE Steve Meyers at 571-272-6611.

*J. Woodrow Eldred*

J. Woodrow Eldred  
Primary Examiner  
Art Unit: 3641  
571-272-6901